

E-CATALOGUE (2023 NEW VERSION)

INDEX

i.	COMPANY BROFILE	2
ii.	INFLATABLE BOAT	3
	a) <i>A Series</i>	3
	b) <i>D Series</i>	4
	c) <i>M Series</i>	5
	d) <i>Military Series</i>	6
iii.	RIB (Rigid Inflatable Boat)	7
	a) <i>FHH-R Series RIB</i>	7
	b) <i>FWN-V Series SMALL RIB</i>	11
	c) <i>FWN-A Series ALUMINUM RIB</i>	12
iv.	PROFESSIONAL RESCUE BOAT	13
	a) <i>Inflatable Rescue Boat</i>	13
	b) <i>Inflatable Rescue Board</i>	13
	c) <i>Fast Inflation Rescue Boat</i>	14
v.	LEISURE BOAT	15
	a) <i>Inflatable Fishing Boat</i>	15
	b) <i>FWS-H Drifting Boat</i>	15
	c) <i>FSV Belly Boat</i>	16
	d) <i>Electric SUP Fin</i>	16
	e) <i>New Water Bike (2022 Version)</i>	17
	f) <i>SUP (Stand-up Paddle Board)</i>	18
	g) <i>Inflatable Gymnastics Mat</i>	18
vi.	BOAT TRAILER	19

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



COMPANY BROFILE

Wuxi Funsor Marine Equipment Co., Ltd is engaged in inflatable boat manufacturing since 2005 with more than 10 years experience. Our factory was established in 2007 with importing and exporting rights. Our factory occupies 20000 square meters, with more than 100 employees and 12 technicians.

Up to now, our main products include inflatable boats, GRP & Aluminum RIBs (Rigid Inflatable Boats), fishing boats, leisure boats, stand-up paddle boards, outboard engines, POER electric trolling motor and trailers. Our products capacity can reach 10000 sets per year.

We fully use German Heytex or China SIJIA PVC and Taiwan or France made ORCA hypalon material for inflatable tubes. All the boats are made of the highest quality 1,100 denier double PVC. This fabric is coated to ensure years of trouble free boating. The seams are hand-made, four layered and South Korea made glue for the best join possible. So we can give a 5 years warranty on the hull fabric and 3 years on the hull seams.


All the boats have passed CE test in 2007, and achieved CE certification issued by UK HPI (EU Body No. 1521) and Netherland DCI (EU Body No. 0613). We also have a testing driving center near to our factory. Before the delivery, the clients are invited to consign the Commodity Check Office to check the merchandise prior to accepting them.

Our products have been exported to more than 20 countries, such as Germany, Sweden, Spain, Norway, UK, Malta, Russia, Canada, USA, Australia, New Zealand, Chile and so on. In the fierce market competition, we received good comments from foreign customers for top quality, competitive price and timely delivery.

We believe in that "Quality is remembered long after the price is forgotten". We will continue to perfect the quality and the service system. Welcome customers from all over the world pay visits to us and put forward valuable suggestions.



Workshop I



Workshop II




Workshop III



ISO9001:2000




CE for Inflatable Boat



CE for RIB

INFLATABLE BOAT

A Series



Depending on the heavy load capacity, spacious deck, V-shape bottom and A-design bow, they can widely used for water sports, fishing, rescue, relief and military assault.

●Standard equipment

- 1. Two-two pieces aluminum oars
- 2. Marine grade plywood bench seat (3.0m below with one seat, 3.0m above with two seats)
- 3. Foot pump
- 4. Repairing kits
- 5. Carrying bag

●Optional equipment

- 1. Bimini top
- 2. Boat cover
- 3. Bow stowage bag
- 4. Under seat bag
- 5. Electric air pump
- 6. Folding anchor

●Optional Floor

- 1. Plywood floor
- 2. Aluminum floor
- 3. Air mat floor
- 4. Slatted floor
- 5. VIB

●Specifications of A Series



●FWS-A Series technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF CHAMBER	NET	MAXH.P.	MAXLOAD (KG/lbs)	MAX PERSON	PACKAGE
	LENGTH	WIDTH		WEIGHT				SIZE
	(CM/inch)	(CM)		(KG/lbs)				(CM)
FWS-A230	230/7'6"	135/4'6"	3+1	36/79	4	350/770	2	110*60*38
FWS-A270	270/8'10"	151/4'11"	3+1	46/101	10	484/1065	3.5	120*60*42
FWS-A290	290/9'6"	151/4'11"	3+1	52/115	10	510/1122	4	110*75*40
FWS-A320	320/10'6"	151/4'11"	3+1	62/136	15	566/1246	4.5	120*60*40
FWS-A360	360/11'9"	170/5'7"	3+1	74/162	20	689/1515	5.5	125*65*42
FWS-A380	380/12'6"	170/5'7"	3+1	78/171	30	727/1603	6	125*68*45
FWS-A430	430/14'1"	190/6'3"	3+1	93/205	30	1087/2396	7	135*68*45
FWS-A480	480/15'9"	190/6'3"	4+1	105/217	50	1200/2645	8+1	145*85*42
FWS-A500	500/16'5"	208/6'10"	4+1	105/231	40	1100/2425	10	190*88*53
FWS-A550	550/18'1"	208/6'10"	5+1	130/286	40	1350/2976	10	190*88*53
FWS-A600	600/19'8"	208/6'10"	5+1	145/320	50	1400/3086	12	190*88*53

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



D Series



8 models with length from 2.3m to 4.8m which could be divided into two main types: D and M. The main property of this series is aluminum floor. It is economical, maintenance free, less easily damaged than other floor material. These facts are making aluminum floor inflatable boat more popular than other floor boats. Other types of flooring: Plywood, Air mat and Slatted.

●Standard equipment

1. Two-two pieces aluminum oars
2. Marine grade plywood bench seat
3. Foot pump
4. Repairing kits
5. Carrying bag

●Optional equipment

1. Bimini top
2. Boat cover
3. Bow stowage bag
4. Under seat bag
5. Electric air pump
6. Folding anchor

●Optional Floor

1. Plywood floor
2. Aluminum floor
3. Air mat floor
4. Slatted floor
5. VIB

●Specifications of D Series



●FWS-D Series technical specification and performance

MODEL	LENGTH	WIDTH	NO.OF	WEIGHT	MAXH.P.	(KG/lbs)	PERSON	PACKAGE
	(CM/inch)	(CM)	CHAMBER	(KG/lbs)				(CM)
FWS-D230	230/7'6"	135/4'6"	3+1	38	4	350	2	110*60*38
FWS-D270	270/8'10"	151/4'11"	3+1	48	10	484	3+1	120*60*42
FWS-D290	290/9'6"	151/4'11"	3+1	52	10	510	4	110*75*40
FWS-D320	320/10'6"	151/5'11"	3+1	55	15	566	4+1	120*60*40
FWS-D360	360/11'9"	170/5'7"	3+1	76	20	689	5+1	125*65*42
FWS-D380	380/12'6"	170/5'7"	3+1	78	20	727	6	125*68*45
FWS-D430	430/14'1"	190/6'3"	4+1	86	30	1087	7	130*85*41
FWS-D480	480/15'9"	190/6'3"	4+1	96	40	1200	8+1	145*85*42

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



M Series



8 models with length from 2.3m to 4.8m for outboards up to 22kw/30hp and offered with 5 types of flooring: Plywood, Aluminum, Air mat, VIB and Slatted.

●Standard Equipment

1. Two-two pieces aluminum oars
2. Foot pump
3. Carrying bag
4. Marine grade plywood bench seat (one piece)
5. Repairing kits

●Optional Equipment

1. Bimini top
2. Boat cover
3. Bow stowage bag
4. Under seat bag
5. Electric air pump
6. Folding anchor

●Optional Floor

1. Plywood floor
2. Aluminum floor
3. Air mat floor
4. Slatted floor
5. VIB

●Specifications of M Series



●M Series technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF	NET	MAXH.P.	MAXLOAD (KG/lbs)	MAX PERSON	PACKAGE SIZE (CM)
	LENGTH	WIDTH		WEIGHT				
	(CM/inch)	(CM)		(KG/lbs)				
FWS-M230	230/7'6"	135/4'6"	3+1	38/84	4	350/772	2	110*60*38
FWS-M270	270/8'10"	151/4'11"	3+1	48/106	10	484/1067	3.5	120*60*42
FWS-M290	290/9'6"	151/4'11"	3+1	52/115	10	510/1124	4	110*75*40
FWS-M320	320/10'6"	151/5'11"	3+1	55/121	15	566/1248	4.5	120*60*40
FWS-M360	320/11'9"	170/5'7"	3+1	76/168	20	689/1519	5.5	125*65*42
FWS-M380	380/12'6"	170/5'7"	3+1	78/172	20	727/1603	6	125*68*45
FWS-M430	430/14'1"	190/6'3"	4+1	86/194	30	1087/2396	7	130*85*41
FWS-M480	480/15'9"	190/6'3"	4+1	96/211	40	1200/2645	8+1	145*85*42

Military Series



Military series is the toughest inflatable boat that ever exist. We provide them for military and government agencies all over the world to deal with extremely harsh conditions. We construct them with heavy duty South Korea 1.2mm PVC and endure fierce impacts in unexpected tough conditions. The advantages include 1.2mm aluminum floor, NUMEROUS CHAMBERS with quick inflation valves and pressure relief valves for extra safety, high pressure inflatable keel, plenty of molded handles and stainless steel D-rings, all-round grab lines. Ideal for searching and rescuing, safety patrolling, law enforcement, rapid deployment, assault operations and fantastic for diving, fishing, weekend family trips as well.

●Standard equipment

- 1.Two-two pieces aluminum oars; 2.Foot pump; 3.Carrying bag; 4.Aluminum seat; 5. Repairing kits

●Optional Floor

- 1. Plywood floor 2.Aluminum floor

●Military Series technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF CHAMBER	NET WEIGHT (kg/lbs)	MAX H.P.	MAX LOAD (kg/lbs)	MAX PERSON	PACKAGE
	LENGTH	WIDTH						SIZE
	(cm/inch)	(cm/inch)						(cm)
FWS-ML320	320/10'6"	151/4'11"	3+1	74/163	15	566/1248	4+1	110*75*40
FWS-ML380	380/12'6"	170/5'7"	3+1	80/176	30	727/1603	6	130*68*45
FWS-ML430	430/14'1"	190/6'3"	5+1	112/247	30	1087/2396	7	135*68*45
FWS-ML460	460/15'1"	190/6'3"	5+1	120/264	40	1150/2530	8	145*85*42

RIB (Rigid Inflatable Boat)

FHH-R Series RIB

FHH-R330A




FHH-R330B



FHH-R330C



FHH-R360B



FHH-R360C



FHH-R390B



NEW!
FHH-R390C



FHH-R430A



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



FHH-R430B




FHH-R480A



HOT!
FHH-R480B




HOT!
FHH-R480D



FHH-R520B

FHH-R520A



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



HOT! FHH-R550B



FHH-R580A



FHH-R580B



FHH-R680A



FHH-R680B



FHH-R700



FHH-R760



WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



This **rigid-hulled inflatable boat (RHIB)** or **rigid-inflatable boat (RIB)** is a light-weight but high-performance and high-capacity boat constructed with a solid, shaped hull and flexible tubes at the gunwale. The design is stable and seaworthy. Deep-V fiberglass hull offers stable and comfortable driving; Unique and eye-catching design bring you more exciting journey; spacious deck assures easy circulations.

●Standard equipment

1. A pair of oars
2. Foot pump
3. Repair kit
4. Boat cover
5. Fore cabin with cushion
6. Back cabin with cushion
7. Standard fiberglass anchor tray
8. Center console
9. Standard steering system


●Optional Equipment

1. Fiberglass step end
2. Stainless steel or fiberglass roll bar(with navigation lights)
3. Sunshade
4. Teak floor
5. Oil tank
6. Stainless ladder
7. Life jacket
8. Anchor
9. Anchor rope
10. Bandage
11. Sewage pump
12. Battery (with battery box)
13. Electric air pump
14. Shower (built-in water tank, clean water pump)
15. Drop dining table
16. Hydraulic steering system
17. GPS
18. Trailer

●FHH-R Series (BIG SIZE) technical specification and performance. * means HOT MODEL.

Model	Overall	Overall	Hull	Hull	Tube	Chamber	Max	Max	Max	Packing Size (cm)	Boat
	Length	Width	Length	Width	Dia		Power	Load	Capacity		Weight
	(cm)	(cm)	(cm)	(cm)	(cm)		(HP)	(KG)	(Person)		(KG)
FHH-R330A	330	160	260	113	42	3	20	450	4	320*120*50	75
FHH-R330B	330	160	265	110	42	3	20	450	4	320*120*60	90
FHH-R330C	330	160	262	98	42	3	20	450	4	320*130*60	100
FHH-R360B	360	180	280	106	42	3	25	650	5	340*130*70	90
FHH-R360C	360	180	285	110	45	3	25	650	5	350*140*70	120
FHH-R390B	390	173	320	110	48	3	30	864	6	380*140*80	100
FHH-R390C	390	173	335	125	48	3	30	864	6	420*150*80	110
FHH-R430A	430	200	368	140	48	4	40	640	6	420*150*80	150
FHH-R430B	430	196	366	135	48	4	40	640	6	420*150*80	200
FHH-R480A	480	188	396	101	48	5	50	1121	7	460*150*90	183
*FHH-R480B	480	188	420	140	48	5	50	1121	7	470*160*110	220
*FHH-R480D	480	188	440	140	48	5	50	1121	7	470*160*100	220
FHH-R520A	520	208	445	140	50	5	90	1403	9	480*150*90	200
FHH-R520B	520	254	435	145	52	5	90	1403	9	510*200*100	400
*FHH-R550B	550	246	460	165	52	5	115	1788	9	560*190*100	440
FHH-R580A	580	218	498	175	52	5	90	1549	9	560*190*100	440
FHH-R580B	580	238	540	185	52	5	90	1549	9	560*200*100	450
FHH-R680A	680	272	593	170	52	7	225	1924	12	560*200*100	500
FHH-R680B	680	272	596	193	52	7	225	1924	12	670*200*100	700
FHH-R700	700	286	610	223	52	7	250	1960	12	710*220*120	900
FHH-R760	760	270	680	226	52	7	250	1960	13	750*200*110	800

FWN-V Series SMALL RIB



FWN-V Series is simply design rigid inflatable boat, which is mainly used for fishing and family leisure.

•FWN-V Series technical specification and performance

Model	Overall	Overall	tube	Chamber	Max	Max	Max	Boat	
	Length	Width	diameter		Power	Load	Capacity		Weight
	(cm)	(cm)	(cm)		(HP)	(KG)	(Person)		(KG)
FWN-V230	230	155	38	2	6	350	2	29	
FWN-V250	250	155	38	3	8	400	3	35	
FWN-V270	270	164	40	3	10	450	3	64	
FWN-V300	300	164	40	3	12	550	4	69	

Standard equipment: Two pieces aluminum oars; Wood bench seat; Foot pump; Repairing kits

Optional equipment: Seat bag, Bow Bag, Inflatable boat cover, Carry bag, Extra seat, Jockey console, Steering System

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: kcllee@funsorboat.com



FWN-A Series ALUMINUM RIB




•FWN-A Series technical specification and performance

Model	Overall Length(cm)	Overall Width(cm)	Inside Width(cm)	Tube Dia(cm)	Chamber	Max Power(HP)	Max Capacity	Max Loading(KG)	Boat Weight(KG)
Aluminum hull without deck									
FWN-A240S	240	152	76	38	3	6	2	280	36
FWN-A270S	270	152	76	38	3	10	3	450	42
FWN-A300S	300	166	76	42	3	12	4	540	49
FWN-A330S	330	166	76	42	3	15	5	600	52
Aluminum hull with deck									
FWN-A270D	270	152	76	38	3	10	3	450	46
FWN-A300D	300	166	76	42	3	12	4	540	52
FWN-A310D	310	164	76	42	3	15	4	540	50
FWN-A330D	330	166	76	42	3	15	5	600	57
FWN-A360D	360	180	76	47	3	25	6	700	64
FWN-A390D	390	180	88	47	3	30	6.5	750	69
Aluminum hull with deck and front locker									
FWN-A300N	300	166	76	42	3	12	4	540	52
FWN-A330N	330	166	76	42	3	15	5	600	57
FWN-A360N	360	180	76	47	3	25	6	700	64
FWN-A390N	390	180	88	47	3	30	6.5	750	69

PROFESSIONAL RESCUE BOAT

Inflatable Rescue Boat



With the advantages of easy storage, easy handling, cleaning comfortable and convenient, inflatable rescue boat is mostly used to army, fire station and administer relief etc.


•Standard equipment

- 1. oars; 2.carry bag; 3.repairing kits; 4.foot pump

•FWS-R Series technical specification and performance

MODLE	OVERALL	OVERALL	FLOOR	NET	PACKAGE SIZE
	LENGTH	WIDTH		WEIGHT	
	(cm)	(cm)		(kg)	
FWS-R360	360	150	AIR MAT	38	101*61*34

Inflatable Rescue Board





It was made of drop stitch air deck and PVC, which is mostly used to army, fire station and administer relief etc.

•Standard equipment: 1. Hand pump; 2. Carry bag; 3. Repairing kits;

MODLE	OVERALL	OVERALL	Thickness	NET	PACKAGE SIZE
	LENGTH	WIDTH	(cm)	WEIGHT	
	(cm)	(cm)		(kg)	
FWS-R180	180	105	15	10	101*61*34

Fast Inflation Rescue Boat



Hypalon rescue boat is designed for fire station or flood prevention. Its feature is light with airmat floor, fast inflation with air bottle. The material is imported from Taiwan Hypalon with good performance on tear and wear.

●Standard equipment

1. Two-two pieces aluminum oars
2. Two marine grade plywood bench seat
3. Foot pump
4. Repairing kits
5. Carrying bag
6. Airmat floor

●Optional Equipment

1. Bimini top
2. Boat cover
3. Bow stowage bag
4. Under seat bag
5. Electric air pump
6. Folding anchor

●FWS-A Series technical specification and performance

MODEL	OVERALL	OVERALL	FLOOR	NO.OF	NET	MAX	MAX LOAD	MAX	PACKAGE
	LENGTH	WIDTH			WEIGHT				
	(cm/inch)	(cm/inch)		CHAMBER	(kg/lbs)		(kg/lbs)		(cm)
FWS-A320R	320/10'6"	151/4'11"	AIRMAT	3+1	62/136	15	566/1248	4+1	110*62*40
FWS-A380R	380/12'6"	170/5'7"		3+1	78/168	30	727/1603	6	125*68*45

LEISURE BOAT

Inflatable Fishing Boat



•Standard equipment

1.Two pieces aluminum oars 2.Marine grade plywood bench seat 3.Foot pump 4.Repairingkits 5.Carrying bag

•Optional Equipment: 1.Slat floor 2.Air mat floor

•FWS-O Series technical specification and performance

MODEL	OVERALL LENGTH (CM/inch)	OVERALL WIDTH (CM/inch)	NO.OF CHAMBER	NET WEIGTH (KG/1bs)	MAX H.P.	MAX LOAD (KG/ids)	MAX PERSON
FWS-O200	200/6'7"	120/3'11"	2	20/44	3.5	250/551	1.5
FWS-O235	235/7'8"	132/4'4"	2	29/64	5	350/772	2
FWS-O265	265/8'8"	132/4'4"	2	32/71	10	484/1067	3.5
FWS-O280	280/9'2"	148/4'10"	2	38/84	10	510/1124	4

FWS-H Drifting Boat



•Standard equipment

1.Two-two pieces aluminum oars 2.Inflatable seats 3.Foot pump 4.Repairing kits 5.Carrying bag

•FWS-H Series technical specification and performance

MODEL	OVERALL LENGTH (CM/inch)	OVERALL WIDTH (CM/inch)	NO.OF CHAMBER	NET WEIGTH (KG/1bs)	MAX H.P.	MAX LOAD (KG/ids)	MAX PERSON	PACKAGE SIZE (CM)
FWS-H330	330	161	4+1+1	52	/	410	3	120*60*40
FWS-H380	380	180	4+2+1	58	/	500	4	120*70*40
FWS-H400	400	190	4+2+1	60	/	580	5	120*75*40
FWS-H440	440	212	4+3+1	64	/	730	6	120*85*40
FWS-H460	460	212	4+3+1	68	/	860	7	140*70*40
FWS-H500	500	212	4+3+1	75	/	960	8	140*75*40

FSV Belly Boat



•Standard feature and components

1. Two-two pieces aluminum oars; 2.Repairing kits; 3.Foot pump; 4.Inflatable seat; 5.Airmat Floor

•FSV Belly Boat technical specification and performance

MODEL	OVERALL	OVERALL	NO.OF CHAMBER	NET	PACKING	MAX PERSON
	LENGTH	WIDTH		WEIGHT	SIZE	
	(cm)	(cm)		(kg)	(cm)	
FSV-150	150	125	2+1	8.8	75*54*25	1
FSV-170	170	125	2+1	10	75*54*25	1

Electric SUP Fin



Our new design 24V remote electric thruster for surfboard is specifically for surfboards, open a new era of water world, a new generation of FUNSOR underwater electric remote thruster is just ready for you, enrich your summer life and enjoy your water world!

A carton-24V battery box	B carton-Remote electric thruster
Name: EP18Li battery box Lithium battery	Name: Remote electric thruster G W:1.95KGS
Specification: 24V 307Wh Sustained Current: ≤18A	N W: 1.45KGS Carton size:45x45x14cm
Run time: 1.5 hours at full power Charging time: 4 hours	
Product Weight: 3.5kgs Product size: 24x20x16cm	

New Water Bike (2022 Version)



Water Bike for Single Person – SWC01



Water Bike for Two Persons - SWC02

SUP Water Bike(single person)



SWC03



SUP Water Bike (Two Persons) – SWC04

New water bike has the following advantages: 1.Europe CE approval, much safer; 2.Patented technology and the advanced ergonomic design; 3.Low carbon, environmentally friendly, and no pollution; 4.Stable, durable and comfortable, good for against the winds and waves; 5.Good corrosion resistance and all parts are made of the Aluminum and Stainless steel; 6.Anyone can easy to ride, install, transportation and storage; 7.Suitable place: beach, water park, water playground and river; 8.Good idea for entertainment, workout when you are free.

•Water Bike technical specification and performance

MODEL	LENGTH (m)	WIDTH (m)	HEIGHT (m)	GROSS WEIGHT (kg)	MAX LOAD WEIGHT (kg)	PACKING SIZE (m)
SWC01 Water Bike (single person)	3	1.25	1.08	31	200	1.09*0.23*0.54 and 0.46*0.38*0.43
SWC02 Water Bike (two persons)	3	1.8	1.08	54	300	1.12*0.36*0.55 and 0.46*0.38*0.43
NEW! SWC03 SUP Water Bike(single person)	3.2	1.35	1.08	32	230	1.09*0.23*0.54 and 0.60*0.48*0.20
NEW! SWC04 SUP Water Bike(two persons)	3.2	1.8	1.08	52	350	1.09*0.23*0.54 and 0.60*0.48*0.20

Inflation Tube: PVC(Thickness is 0.9mm, 3m Long, diameter 26cm); Bicycle Frame: Aluminium; Gear ratio=18:1

Standard Accessories: Foot pump, Repair kits, Carry bag; **Optional Accessories:** Sunshade with holder

WUXI FUNSOR MARINE EQUIPMENT CO., LTD

Meicun Town, New District, Wuxi City, Jiangsu Province, China P.C. 214000

Web: www.funsorboat.com Email: klee@funsorboat.com



SUP (Stand-up Paddle Board)



SIZE:	330*84*15cm
NET WEIGHT:	9KG 9KG 8.65KG
MATERIAL:	SINGLE LAYER

SIZE:	330*78*15cm
NET WEIGHT:	9.95KG 8.5KG 10KG
MATERIAL:	MSL SINGLE LAYER MSL

SIZE:	330*84*15cm,
NET WEIGHT:	9KG 9KG
MATERIAL:	SINGLE LAYER

SIZE:	350*84*15cm
NET WEIGHT:	8.95KG 9.55KG
MATERIAL:	SINGLE LAYER

Standard equipment: Hand pump with gauge meter, Aluminum Paddle, Leash, Backpack, Slide fins, Repair Kits

Inflatable Gymnastics Mat



Air Tracks are made according to the latest techniques, rely on good workmanship and are made of the best materials (supreme quality Double Wall Fabrics). With the valve, no noise during trainings because continuous inflation is not required. You can combine several mats together with the connector.

●SPECIFICATIONS

Name	Inflatable Gym Mat
Material	DWF + PVC + EVA Pad + Valve + Handle
Size	300*100*10cm or Customized
Custom	Size, Color, Logo, Shipping
Color	Blue, Pink, Orange, Red, Yellow, White etc
Standard Accessories	Hand Pump + Carry Bag + Repair Kits

BOAT TRAILER

BOAT TRAILER



MODEL	LENGTH (MM)	WIDTH (MM)	TYRE	AXLE	PAYLOAD (KGS)	NET WEIGHT (KG)
BQTR330	3480	1570	155R12	SINGLE	500	196
BQTR350	3680	1570	155R12	SINGLE	500	199
BQTR390	3850	1570	155R12	SINGLE	600	202
BQTR430	4330	1570	155R12	SINGLE	700	216
BQTR480	4800	1730	155R12	SINGLE	700	223
BQTR520	52000	1730	155R12	SINGLE	1050	226
BQTR550	5500	1730	155R12	SINGLE	1050	230
BQTR580	5900	2070	175/180R13	SINGLE	1250	325
BQTR600	6090	2070	175/180R13	SINGLE	1350	339
BQTR680	6930	2180	185R14	SINGLE	1600	356
BQTR700	7100	2180	185R14	SINGLE	2000	366
BQTR830	8500	2690	185R14	DOUBLE	3400	585
BQTR960	9550	2690	185R14	DOUBLE	4500	612